`APPLICANTS:

Peled et al.

U.S.S.N.:

10/767,064

This listing of claims will replace all prior versions, and listings, of claims in the application:

## Listing of Claims:

1-200 (Canceled).

(Currently Amended) A method of expanding an ex-vivo population of 201. CD34+, CD34+/CD38- and/or CD 133+ hematopoietic stem cells, while at the same time, inhibiting differentiation of the hematopoietic stem cells ex-vivo, the method comprising

culturing said mononuclear cells ex-vivo under conditions allowing for cell proliferation, said conditions comprising providing nutrients and at least an early acting cytokine or cytokines and, at the same time, culturing said mononuclear cells in the presence of at least one copper chelator which capable of reducesing intracellular available copper concentration in said cell;

providing hematopoietic mononuclear cells that are not enriched prior to culturing;

thereby expanding a population of said hematopoietic stem cells while at the same time inhibiting differentiation of said hematopoietic stem cells ex-vivo.

202-208. (Cancelled)

209. (Original) The method of claim 201, wherein said hematopoietic mononuclear cells are derived from a source selected from the group consisting of bone marrow, peripheral blood and neonatal umbilical cord blood.

210-211. (Cancelled)

212. (Previously Presented) The method of claim 201, wherein said early acting cytokine or cytokines is selected from the group consisting of stem cell factor, FLT3 ligand, interleukin-1, interleukin-2, interleukin-3, interleukin-6, interleukin-10, interleukin-12, tumor necrosis factor-a and thrombopoietin.

APPLICANTS: Peled et al. U.S.S.N.: 10/767,064

213. (Previously Presented) The method of claim 201, further comprising providing a late acting cytokine or cytokines.

214. (Previously Presented) The method of claim 213, wherein said late acting cytokine or cytokines is selected from the group consisting of granulocyte colony stimulating factor, granulocyte/macrophage colony stimulating factor, erythropoietin, FGF, EGF, NGF, VEGF, LIF, Hepatocyte growth factor and macrophage colony stimulating factor.

215-237. (Cancelled)

238. (Original) The method of claim 201, wherein said hematopoietic mononuclear cells are not enriched prior to culturing *ex-vivo* under conditions allowing for cell proliferation.

239. (Previously Presented) The method of claim 201, wherein said hematopoietic mononuclear cells comprise a major fraction of hematopoietic committed cells and a minor fraction of hematopoietic stem and progenitor cells.

240-243. (Cancelled)

244. (New) The method of claim 201, wherein said at least one copper chelator is tetraethylenepentamine (TEPA).